

Модель	Размеры				Вес, кг	Теплоотдача, Watt		Цена в Евро 01,01,09		
	Высота скамьи, мм	Высота, мм	Длина, мм	Глубина, мм		Δt 50	Δt 60	RAL 9016	Цвет	Металлик
B4120/4	479	184	1200	136	15,00	766	957	680	782	884
B5120/4	479	184	1200	173	18,84	921	1150	729	838	948
B6120/4	479	184	1200	210	22,48	1092	1364	770	885	1 000
B4150/4	479	184	1500	136	18,60	922	1151	765	880	994
B5150/4	479	184	1500	173	23,32	1130	1411	831	955	1 080
B6150/4	479	184	1500	210	27,88	1342	1676	893	1 027	1 161
B4180/4	479	184	1800	136	22,20	1108	1384	836	961	1 087
B5180/4	479	184	1800	173	27,84	1357	1695	908	1 044	1 180
B6180/4	479	184	1800	210	33,28	1612	2013	981	1 128	1 275
B4200/4	479	184	2000	136	24,60	1226	1531	890	1 023	1 157
B5200/4	479	184	2000	173	30,84	1516	1893	970	1 115	1 260
B6200/4	479	184	2000	210	36,88	1790	2235	1 049	1 207	1 364
B4250/4	479	184	2500	136	30,60	1555	1942	1 104	1 270	1 435
B5250/4	479	184	2500	173	38,32	1936	2418	1 202	1 382	1 562
B6250/4	479	184	2500	210	45,88	2307	2881	1 305	1 500	1 696
B4300/4	479	184	3000	136	36,60	1925	2404	1 236	1 421	1 606
B5300/4	479	184	3000	173	45,84	2403	3001	1 343	1 545	1 746
B6300/4	479	184	3000	210	54,88	2848	3557	1 470	1 691	1 911
B4120/5	525	230	1200	136	18,75	930	1161	750	862	975
B5120/5	525	230	1200	173	23,55	1119	1397	811	933	1 055
B6120/5	525	230	1200	210	28,10	1313	1640	862	991	1 120
B4150/5	525	230	1500	136	23,25	1107	1382	852	979	1 107
B5150/5	525	230	1500	173	29,15	1358	1696	934	1 074	1 214
B6150/5	525	230	1500	210	34,85	1600	1998	1 012	1 164	1 316
B4180/5	525	230	1800	136	27,75	1332	1663	936	1 076	1 216
B5180/5	525	230	1800	173	34,80	1626	2031	1 026	1 179	1 333
B6180/5	525	230	1800	210	41,60	1924	2403	1 117	1 284	1 452
B4200/5	525	230	2000	136	30,75	1439	1797	999	1 149	1 299
B5200/5	525	230	2000	173	38,55	1782	2225	1 099	1 263	1 428
B6200/5	525	230	2000	210	46,10	2121	2649	1 198	1 378	1 558
B4250/5	525	230	2500	136	38,25	1864	2328	1 235	1 420	1 606
B5250/5	525	230	2500	173	47,90	2323	2901	1 357	1 561	1 764
B6250/5	525	230	2500	210	57,35	2740	3422	1 486	1 709	1 932
B4300/5	525	230	3000	136	45,75	2312	2887	1 391	1 600	1 808
B5300/5	525	230	3000	173	57,30	2888	3607	1 526	1 755	1 984
B6300/5	525	230	3000	210	68,60	3388	4231	1 684	1 937	2 189
B4120/6	571	276	1200	136	22,50	1112	1389	820	943	1 066
B5120/6	571	276	1200	173	28,26	1289	1610	894	1 028	1 162
B6120/6	571	276	1200	210	33,72	1531	1912	954	1 098	1 241



Модель	Размеры				Вес, кг	Теплоотдача, Watt		Цена в Евро 01,01,09		
	Высота скамьи, мм	Высота, мм	Длина, мм	Глубина, мм		Δt 50	Δt 60	RAL 9016	Цвет	Металлик
B4150/6	571	276	1500	136	27,90	1334	1666	939	1 079	1 220
B5150/6	571	276	1500	173	34,98	1577	1969	1 037	1 193	1 348
B6150/6	571	276	1500	210	41,82	1859	2322	1 131	1 301	1 471
B4180/6	571	276	1800	136	33,30	1560	1948	1 036	1 191	1 347
B5180/6	571	276	1800	173	41,76	1888	2358	1 144	1 315	1 487
B6180/6	571	276	1800	210	49,92	2236	2792	1 253	1 441	1 629
B4200/6	571	276	2000	136	36,90	1713	2139	1 108	1 275	1 441
B5200/6	571	276	2000	173	46,26	2104	2628	1 228	1 412	1 597
B6200/6	571	276	2000	210	55,32	2485	3103	1 348	1 550	1 752
B4250/6	571	276	2500	136	45,90	2185	2729	1 367	1 572	1 777
B5250/6	571	276	2500	173	57,48	2704	3377	1 513	1 740	1 967
B6250/6	571	276	2500	210	68,82	3189	3982	1 667	1 918	2 168
B4300/6	571	276	3000	136	54,90	2702	3374	1 546	1 778	2 010
B5300/6	571	276	3000	173	68,76	3352	4186	1 709	1 965	2 221
B6300/6	571	276	3000	210	82,32	3948	4930	1 898	2 183	2 468
B4120/7	617	322	1200	136	26,25	1179	1472	890	1 024	1 157
B5120/7	617	322	1200	173	32,97	1479	1847	976	1 123	1 269
B6120/7	617	322	1200	210	39,34	1735	2167	1 047	1 204	1 361
B4150/7	617	322	1500	136	32,55	1500	1873	1 026	1 179	1 333
B5150/7	617	322	1500	173	40,81	1825	2279	1 141	1 312	1 483
B6150/7	617	322	1500	210	48,79	2142	2675	1 251	1 438	1 626
B4180/7	617	322	1800	136	38,85	1790	2235	1 136	1 307	1 477
B5180/7	617	322	1800	173	48,72	2194	2740	1 262	1 451	1 641
B6180/7	617	322	1800	210	58,24	2567	3206	1 389	1 598	1 806
B4200/7	617	322	2000	136	43,05	1982	2475	1 218	1 401	1 583
B5200/7	617	322	2000	173	53,97	2444	3050	1 357	1 561	1 765
B6200/7	617	322	2000	210	64,54	2853	3563	1 497	1 722	1 946
B4250/7	617	322	2500	136	53,55	2519	3146	1 498	1 723	1 947
B5250/7	617	322	2500	173	67,06	3130	3909	1 669	1 919	2 169
B6250/7	617	322	2500	210	80,29	3677	4592	1 849	2 126	2 403
B4300/7	617	322	3000	136	64,05	3116	3891	1 702	1 957	2 213
B5300/7	617	322	3000	173	80,22	3881	4847	1 891	2 175	2 459
B6300/7	617	322	3000	210	96,04	4537	5666	2 112	2 429	2 746
B4120/8	663	368	1200	136	30,00	1382	1726	960	1 104	1 248
B5120/8	663	368	1200	173	37,68	1662	2076	1 058	1 217	1 376
B6120/8	663	368	1200	210	44,96	1941	2424	1 139	1 310	1 481
B4150/8	663	368	1500	136	37,20	1671	2087	1 112	1 279	1 446
B5150/8	663	368	1500	173	46,64	2050	2560	1 244	1 430	1 617
B6150/8	663	368	1500	210	55,76	2397	2993	1 369	1 575	1 780
B4180/8	663	368	1800	136	44,40	2011	2511	1 236	1 421	1 607
B5180/8	663	368	1800	173	55,68	2445	3053	1 380	1 587	1 794
B6180/8	663	368	1800	210	66,56	2812	3512	1 525	1 754	1 983
B4200/8	663	368	2000	136	49,20	2219	2771	1 327	1 526	1 725
B5200/8	663	368	2000	173	61,68	2736	3417	1 487	1 710	1 933
B6200/8	663	368	2000	210	73,76	3180	3971	1 646	1 893	2 140
B4250/8	663	368	2500	136	61,20	2821	3523	1 629	1 873	2 118
B5250/8	663	368	2500	173	76,64	3506	4378	1 824	2 098	2 371
B6250/8	663	368	2500	210	91,76	4120	5145	2 030	2 335	2 639
B4300/8	663	368	3000	136	73,20	3478	4343	1 857	2 136	2 414
B5300/8	663	368	3000	173	91,68	4368	5455	2 074	2 385	2 696
B6300/8	663	368	3000	210	109,76	5068	6329	2 326	2 675	3 024

Виды подключений



Цена в Евро

Виды подключений


Цена в Евро



0,00



0,00



0,00

## Bankoberflächen neu: WERZALIT®


**zehnder** *bank-radiator*

**zehnder** *bank-radiavektor*

**zehnder** *ablage-radiavektor*



445 Hainbuche



131 Quarz



112 Puntinella

Длина прибора L мм
1 000
1 200
1 400
1 600
1 800
2 000
2 200
2 400
2 600
2 800
3 000

Длина доски мм
1 260
1 460
1 660
1 860
2 060
2 260
2 460
2 660
2 860
3 060
3 260

Цена в Евро 01,01,09
481
517
554
590
626
680
716
752
809
825
870